

# Federal Aviation Administration National Simulator Program



## Statement of Qualification

The Federal Aviation Administration (FAA) National Simulator Program (NSP) has evaluated this Flight Simulation Training Device (FSTD) and found it to meet the standards set forth in the qualification document.

<b>Sponsor</b>	
<b>FAA ID</b>	
<b>Aircraft Designation</b>	
<b>Qualification Document</b>	
<b>Qualification Level</b>	
<b>Expiration Date</b>	

With the exception of noted exclusions for which this FSTD has not been subjectively tested, the qualification of this FSTD includes the tasks set out in the applicable qualification document. To maintain qualification, this FSTD must continue to meet all the standards and specifications of the qualification document and is subject to the conditions and limitations in the FSTD Information and Configuration List as well as the last FAA FSTD Evaluation Report. This certificate is not transferable, and unless revoked, suspended, or amended is valid until the expiration date.

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Allegiant Airlines
Designator:	WX0A
FAAID:	1580
Make/Model/Series:	A-320-200
Evaluation Interval:	12

Section 1. Sponsor | FSTD Location | Contact Information

FSTD Location

Training FacilityName:	Allegiant Sanford Air Training Center		
Address:	2250 MARQUETTE AVE		
City:	SANFORD		
State/Prov/Terr:	FL		
Country:	USA		
ZIP:	32773		

Local FAA Authority/ FAA Training Program Approval Authority (TPAA)

Name:	Rowan, Raymond		
Address:	7181 Amigo St		
City:	LAS VEGAS		
State/Prov/Terr:	NV	Office:	(702) 617-8500
Country:	USA	Cell:	(925) 381-9820
ZIP:	89119	Email:	raymond.rowan@faa.gov

FAA Alternate POC (APM, FTPM, if applicable)

Name:			
Address:			
City:			
State/Prov/Terr:		Office:	
Country:		Cell:	
ZIP:		Email:	

Sponsor FSTD Management Representative

Name:	Gonzalez-Diaz, Jose		
Address:	6236 W. Desert Inn Road		
City:	LAS VEGAS		
State/Prov/Terr:	NV	Office:	702 830-8720
Country:	USA	Cell:	702 830-8660
ZIP:	89146	Email:	jose.diaz@allegiantair.com

Sponsor FSTD Local Contact

Name:	Sin Quee, Yannique		
Address:	1450 Lee Wagener Blvd		
City:	FORT LAUDERDALE		
State/Prov/Terr:	FL	Office:	(954) 270-6862
Country:	USA	Cell:	(954) 270-6862
ZIP:	33315	Email:	yanniquesinquee@afgsim.com

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Allegiant Airlines
Designator:	VX0A
FAA ID:	1580
Make/Model/Series:	A-320-200
Evaluation Interval:	12

Section 2. FSTD Information

A/C Common Name:	AIRBUS A-320	Manufacturer Name:	CAE
A/C Alternative Name:	A-320-200	Manufactured Year:	2017
Qualification Basis:	14 CFR Part 60 (2016), Appendix A	Manufacture Serial No:	114344-1578
Qualification Level:	D	Sponsor's FSTD ID:	A320-1
FSTD Class:	Airplane FFS	Evaluation Base Month:	Mar
FSTD Seats Available:	5	FSTD Convertible to:	

FSTD Configuration Information

FSTD Configuration (1):	A-320-200
FSTD Configuration (2):	
FSTD Configuration (3):	
FSTD Configuration (4):	
FSTD Configuration (5):	

FSTD Engine Information

Pri. Engine Type / Thrust:	CFM56-5B4/27K	FADEC Version:	
Alt. Engine Type / Thrust:	IAE V2527 A5/26.5K	FADEC Version:	
Alt. Engine Type / Thrust:		FADEC Version:	
Alt. Engine Type / Thrust:		FADEC Version:	

Flight Instrumentation & Systems

<input type="checkbox"/> NVG	<input type="checkbox"/> Other:
<input type="checkbox"/> CPDLC	<input type="checkbox"/> Other:
<input type="checkbox"/> EFB Class:	<input type="checkbox"/> Other:

Data Sources & Models

Flight Control Data: Model/Revision:	ELAC, SEC, FAC Thales and Honeywell
Aero Model: Source/Model/Revision:	D00630301 A320 NEO and CEO

Visual System

Image Generator Make/Model:	CAE Tropos 6000XR LED		
Display Type:	Cross Ckpt, Collimated	Visual Projector Type:	LCoS/LED/DLP
Horizontal Field of View (degs):	200	Vertical Field of View (degs):	43

Avionics

Manufacturer	Airbus		
Model	Honeywell/Thales		
Standard/Revision	STD20		

Federal Aviation Administration  
National Simulator Program

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Allegiant Airlines
Designator:	VX0A
FAA ID:	1580
Make/Model/Series:	A-320-200
Evaluation Interval:	12

**Flight Management System**

Manufacturer:	HONEYWELL	Honeywell	
Model:	H2CPI15 (IAE)	STD H2CPC16 (CFM)	
Type/Revision:	Release 1A	Release 1A	

**Motion System**

Manufacturer:	EMM
Type:	Electric
Axis:	6

**Airport Qualification Models**

1: Airport / Runways / Taxiway:	KSEA / ALL / ALL
2: Airport / Runways / Taxiway:	KLAX / ALL / ALL
3: Airport / Runways / Taxiway:	KJFK / ALL / ALL

**Visual Ground Segment**

Airport / Landing RW	KJFK 04R
----------------------	----------

**Helicopter Non-Airport Landing Areas**

Elevated Surface:	
Confined Landing Area:	
Sloped Surface	

**Other National Aviation Authority Qualifications (US-NAA BASA-SIPs Agreements Only)**

NAA Name:			
NAA FSTD ID No:			
NAA Qualification Level:			
NAA Qualification Basis:			

Federal Aviation Administration  
National Simulator Program

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Allegiant Airlines
Designator:	VX0A
FAA ID:	1580
Make/Model/Series:	A-320-200
Evaluation Interval:	12

Except for Non-Qualified items, this FSTD is qualified to perform all maneuvers, procedures, tasks, and functions listed in the applicable QPS Appendix, Tables 1B and 1C of 14 CFR Part 60 as amended. Additionally, this FSTD is qualified to perform maneuvers, procedures, tasks, and functions annotated in sections 3a, 3b, or 3c. Specific use in conjunction with any training program must be approved by the FAA Training Program Approval Authority (TPAA).

Section 3a. Level 6 and Above FSTD Additional FSTD Qualified Maneuvers, Procedures, Tasks, and Functions (not stated in 14CFR Part 60 Appendix (A,B,C, or D) Attachment 1, Table 1B)			
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
CAT I (Minimums IAW sponsor/operator authorization)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CAT II (Minimums IAW sponsor/operator authorization)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CAT III (Minimums IAW sponsor/operator authorization)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Circling Approach	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Windshear Training	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Auto-Coupled Approach	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Auto Go Around	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Auto-Land / Roll-Out Guidance	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
TCAS/ACAS I / II 7.1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
WX-Radar	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
HUD / HGS	<input type="checkbox"/>	<input type="checkbox"/>	
EFVS / SVS	<input type="checkbox"/>	<input type="checkbox"/>	
TAWS (GPWS / EGPWS)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
SMGCS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Enhanced Taxi Markings	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
RWSL / LAHSO	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
LPV GPS WAAS <input checked="" type="checkbox"/> LPV <input checked="" type="checkbox"/> GPS <input checked="" type="checkbox"/> WAAS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
RNP/AR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
ADS-B <input type="checkbox"/> In	<input type="checkbox"/>	<input type="checkbox"/>	
Full Stall (14CFR Part 60 (2016)/FSTD Directive 2)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
UPRT (14CFR Part 60 (2016)/FSTD Directive 2)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Icing (14CFR Part 60 (2016)/FSTD Directive 2)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Realistic Gusting Crosswind (14CFR Part 60 (2016)/FSTD Directive 2)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Bounced Landing (14CFR Part 60 (2016)/FSTD Directive 2)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	

Federal Aviation Administration  
National Simulator Program

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Allegiant Airlines
Designator:	WX0A
FAA ID:	1580
Make/Model/Series:	A-320-200
Evaluation Interval:	12

Section 3b. Level 6 and Above FSTD Additional Helicopter FSTD Qualified Maneuvers, Procedures, Tasks, and Functions  
(not stated in 14CFR Part 60 Appendix (C or D) Attachment 1, Table 1B)

Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
Helicopter Slope Landings	<input type="checkbox"/>	<input type="checkbox"/>	
Helicopter External Load Operations	<input type="checkbox"/>	<input type="checkbox"/>	
Helicopter Pinnacle Approach to Landings	<input type="checkbox"/>	<input type="checkbox"/>	
Helicopter Night Vision Maneuvers Class A <input type="checkbox"/> , Class B Lens <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Helicopter Category A Takeoffs	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	

Federal Aviation Administration  
National Simulator Program

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Allegiant Airlines
Designator:	WX0A
FAA ID:	1580
Make/Model/Series:	A-320-200
Evaluation Interval:	12

Section 3c. Level 4 & 5 FSTD Optionally Qualified Maneuvers, Procedures, Tasks, and Functions (as defined in Table B1B and D1B)			
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
<b>Preflight Procedures</b>			
Preflight Inspection (flight deck only).	<input type="checkbox"/>	<input type="checkbox"/>	
Engine Start	<input type="checkbox"/>	<input type="checkbox"/>	
Pre-takeoff Checks.	<input type="checkbox"/>	<input type="checkbox"/>	
<b>In-Flight Maneuvers</b>			
Approach to Stalls	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Engine Failure (procedures only)	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Specific Flight Characteristics incorporated into user's approved flight training program	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Instrument Procedures</b>			
Standard Terminal Arrival / Flight Management System Arrival	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Holding	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Precision Instrument, all engines operating	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Non-Precision Instrument, all engines operating	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Missed Approach	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
<b>Landings and Approaches to Landings</b>			
Visual Approaches (normal, steep, shallow) with visual system	<input type="checkbox"/>	<input type="checkbox"/>	(Helicopter Only)
<b>Normal and Abnormal Procedures</b>			
Powerplant	<input type="checkbox"/>	<input type="checkbox"/>	
Fuel System	<input type="checkbox"/>	<input type="checkbox"/>	
Electrical System	<input type="checkbox"/>	<input type="checkbox"/>	
Environmental and Pressurization Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Fire Detection and Extinguisher Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Navigation and Avionics Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Automatic Flight Control System, Electronic Flight Instrument System, and Related Subsystems.	<input type="checkbox"/>	<input type="checkbox"/>	
Flight Control Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Anti-ice and Deice Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Aircraft and Personal Emergency Equipment	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Emergency Procedures</b>			
Emergency Descent (Max Rate)	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Inflight fire and smoke removal	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Rapid Decompression	<input type="checkbox"/>	<input type="checkbox"/>	(Level 5 Only)
Emergency Evacuation	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Post flight Procedures</b>			
After-Landing Procedures	<input type="checkbox"/>	<input type="checkbox"/>	
Rotor brake operation.	<input type="checkbox"/>	<input type="checkbox"/>	(Helicopter Only)
Abnormal/emergency procedures	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Other</b>			
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	

Federal Aviation Administration  
National Simulator Program

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Allegiant Airlines
Designator:	VX0A
FAA ID:	1580
Make/Model/Series:	A-320-200
Evaluation Interval:	12

Narrative

---